

SCANSONIC HD



SD



Design – the Philosophy

Having worked with Raidho speakers for more than 12 years, we found ourselves faced with a completely new challenge when we started to design a new range of high-performance speakers for the Scansonic brand.

From the start, we were very focused on building on all the experiences and strengths obtained from designing the Raidho speakers. At the same time, we also had to be aware of the long heritage and the Nordic design tradition of the Scansonic brand. This time, the task also came with a budget and a desire to create the very best possible within financial limits.

It was clear to us from the very beginning, that some core techniques from the Raidho speakers would be of importance:

The speakers had to be designed around a ribbon tweeter that works with a super lightweight diaphragm which is sealed around the edges to allow for a seamless transition to the midrange region. Furthermore, they needed to be designed and developed with a speaker driver with a ridged, piston-type membrane.

Developing and building these speakers in Denmark has been a tremendous task with quite a long duration. We are very glad that a fantastic team effort made it possible - the result makes us proud.

In Denmark we have our factory with skilled craftsmen. They produce some of the finest loudspeakers in the industry under the brands Raidho and Scansonic (MB series). The craftsmanship makes sure that every detail and every situation is taken care of in a very competent manner.

One Speaker – One man

The same people that craft the high-end loudspeakers from Raidho, also build the Scansonic (MB series). In fact when it comes to final assembly, only one person does this in order to make the perfect end-product.

Quality Control

All of the MB series is each measured in many ways to make sure they live up to the reference. We measure every single speaker thoroughly.

The Q Series

The new Mini Raidho loudspeaker series

Cabinets:

The beautiful construction sleek cabinets are directly out of the Raidho vision and philosophy: A very rigid constructed does not have to be heavy or ugly. This is beautiful and beneficial for the sound. Now this special combination is available in a new price class.

Drivers:

The tweeter is a quasi-ribbon tweeter that deliver silky smooth high end and presenting all the details crystal clear at the same time.

The woofers are all made of one piece molded weaved carbon fiber. These are bespoke drivers designed and developed by the Raidho engineering team. This is exactly what is needed to keep up with the very fast ribbon tweeter.

Crossover:

The crossover is built on the same principle as in the world of Raidho. Build for coherence, dynamics and live sound.



Q3 | High End Floor Stander

The Q3 is a slim floorstander with two 5.25" carbon-coned drivers and a sealed ribbon tweeter. The Q3 is a 2.5-way loudspeaker with the second woofer assisting in the power demanding bass region. Do not underestimate the bass performance from this sleek floorstander: It has a solid foundation and sounds a lot bigger than it looks.

The Q3 is a 2,5-way loudspeaker, which makes the sound incredible coherent. It is truly a joy to listen to. The Raidho inspired ribbon tweeter is an amazing feature for the price class. Bringing true high end shine into this sleek and beautiful loudspeaker.

The quality of the cabinet is astonishing and fit and finish perfect. Not something you see every day, let alone at this price.



SPECS:

Size, mm. (W×H×D):	170 x 1000 x 395
Weight, kg.:	20.5 per item
Topology:	2.5-way
Freq. response:	(-6dB) 52 Hz – 20 kHz
Impedance:	6 ohm
Sensitivity:	86 db
Crossover:	285 Hz – 2600 Hz
Enclosure:	Bass reflex
Drive units:	1 x Ribbon tweeter 1 x 5.25" Mid/Woofer 1 x 5.25" Woofer
Finish:	Black and White High Gloss, or Walnut
Amplification:	Min 50W

AWARDS:





Q8 | High End Floor Stander

This loudspeaker is the first in the Scansonic lineup with an 8" woofer, which delivers a deep and punchy bass.

The 3-way loudspeaker with a true carbon fiber midrange and woofer makes for a dynamic and organic music performer. With the ribbon tweeter on top you get all the high end sparkle in a smooth and beautiful delivery.

The quality of the cabinet is astonishing and fit and finish perfect. Not something you see every day, let alone at this price.



SPECS:

Size, mm. (W×H×D):	240 x 1095 x 500
Weight, kg.:	27.5 per item
Topology:	3-way
Freq. response:	(-6dB) 37 Hz - 20 kHz
Impedance:	8 ohm
Sensitivity:	87 db
Crossover:	400 Hz - 2800 Hz
Enclosure:	Bass reflex
Drive units:	1 x Ribbon Tweeter 1 x 5.25" Midrange 1 x 8" Woofer
Finish:	Black High Gloss, or Walnut
Amplification:	Min 50W

Q10 | High End Floor Stander

This loudspeaker is particularly well suited for large rooms or home cinema applications.

The Q10 is a massive loudspeaker with not only one, but two 8" woofers. If you want to play at high SPL or just enjoy full range sound reproduction, the Q10 is just what you need. Especially with the ribbon tweeter on top you get all the high end sparkle in a smooth and beautiful delivery.

The 3-way loudspeaker with a true carbon fiber midrange and woofer makes for a dynamic and organic music performer.

The quality of the cabinet is astonishing and fit and finish perfect. Not something you see every day, let a lot a this price.



SPECS:

Size, mm. (W×H×D):	240 x 1395 x 500
Weight, kg.:	37.5 per item
Topology:	3-way
Freq. response:	(-6dB) 41 Hz – 20 kHz
Impedance:	4 ohm
Sensitivity:	88 db
Crossover:	400 Hz – 2800 Hz
Enclosure:	Bass reflex
Drive units:	1 x Ribbon Tweeter 1 x 5.25" Midrange 2 x 8" Woofer
Finish:	Black High Gloss, or Walnut
Amplification:	Min 50W

AWARDS:



The MB Series

The MB meets high performance and beautiful design

Cabinets:

The internal construction has an optimized airflow which combined with the minimalistic use of damping-material has created a very dynamic and linear low frequency reproduction.

The ported cabinet is tuned for optimal impulse response - resulting in a linear, dynamic and detailed low-end reproduction, while at the same time making in-room placement of the speaker very easy and versatile.

Drivers:

The woofer and midrange drivers, have been fitted with low loss spider which greatly improves the dynamic capabilities as well as expanding the frequency response in the bass region. - A very nice side effect of this is that the break-in period has been reduced greatly (around 100 hours).

Crossover:

The crossovers are designed for a very linear and natural sound, which is clearly audible throughout the whole line. The crossovers has been designed to time-align all drive units at listening distance.

The result is a speaker which not only presents a big and precise soundstage - it also boasts a timing that will make your foot tap and put a big smile on your face!



MB1 B | Stand-Mount Two-Way Mini Monitor

The MB1 B is a stand-mount, two-way monitor. Our main goal was to create a small speaker that does what it does really well. The reflex port is placed in the front, and it uses special inlays that reduce noise to an extremely low level. While the speaker is small and stylish, the music performance is lively bright and bold, with a bass performance that defies its compact size. The speaker is front-ported to allow for placement near the rear wall.

The MB-series features the same good solid, two-way binding post. The feet are machined from aircraft quality aluminum and can be adjusted to level the speaker. For added rigidness, we have added a carbon sheet to the top panel; this, paired with extensive internal bracing, makes the cabinet inert and silent.

For the MB-1 we have a dedicated stand, with MB-series matching aluminum adjustable feet. The MB-1 also fits the X-1 stand.



AWARDS:



SPECS:

Size, mm. (W×H×D):	178 x 312 x 286
Weight, kg.:	6.1 per item
Freq. response:	45 Hz – 40 KHz
Impedance:	> 8 ohm
Sensitivity:	86 db
Crossover:	2600 Hz / Minimum phase
Enclosure:	Curved, heavily braced, ventilated box design with front loaded port
Drive units:	1 x Ribbon tweeter 1 x 5.25" Mid/Woofer
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W





MB2.5 B | Slim Floor Stander

The MB2.5 B is a slim floorstander with two 5.25" carbon-coned drivers and a sealed ribbon tweeter.

The MB2.5 B is a 2.5-way speaker with the second woofer assisting in the power demanding bass region. The 2.5's cabinet is heavy, braced and curved, with carbon reinforcements.

The MB2.5 B has a solid foundation in the Nordic design tradition.

It is simple, sleek, elegant and visually square when seen directly from the front, and curved and organic when seen from an angle.

The rounded edges of the cabinet reduces diffraction and minimizes the sonic imprint on the frequency response. It does not matter if your home is modern or classic, the timeless design of the MB2.5 B will fit in any home.



AWARDS:



SPECS:

Size, mm. (W×H×D):	178 x 998 x 286
Weight, kg.:	15.6 per item
Freq. response:	36 Hz - 40 KHz
Impedance:	> 6 ohm
Sensitivity:	88 db
Crossover:	500 Hz + 2600 Hz / Minimum phase
Enclosure:	Curved, heavily braced, ventilated box design with front loaded port and adjustable aluminum feet
Drive units:	1 x Ribbon tweeter 1 x 5.25" Mid/Woofer 1 x 5.25" Woofer
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W

MB3.5 B | Slim Floor Stander

The MB3.5 B is a slim floorstander with two 5.25" carbon-coned drivers, a sealed ribbon tweeter and two 6.5" woofers. The MB3.5 B works as a 3-way speaker, where the two midrange-woofers are supported by two 6.5" aluminum coned woofers. The two carbon midrange-woofers are run in series for increased power handling.

The MB3.5 B cabinet is heavy, braced and curved, with carbon reinforcements. The speaker is crossed over at 2600 Hz and the two added side woofers assist up to 150 Hz.

The MB-series features high quality crossover with top quality components. The filter has been carefully tailored to linearize the frequency region where cone and cabinet geometry play a role and also to carefully tune the speaker to a natural sounding frequency response.



AWARDS:



SPECS:

Size, mm. (W×H×D):	178 x 1138 x 286
Weight, kg.:	24.5 per item
Freq. response:	27 Hz - 40 KHz
Impedance:	> 5 ohm
Sensitivity:	89 db
Crossover:	150 Hz + 2600 Hz / Minimum phase
Enclosure:	Curved, heavily braced, ventilated box design with front loaded port and adjustable aluminum feet
Drive units:	1 x Ribbon tweeter 2 x 5.25" Mid/Woofer 2 x 6.5" Woofer (Side firing)
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W





MB5 B | Slim Floor Stander

The MB5 B is a unique slim floor stander with four 5.25" carbon-coned drivers and a sealed ribbon tweeter. The MB5 works as a 2,5-way speaker design, where two 5.25" carbon coned midrange-woofers are supported by two additional Carbon coned drivers for additional base performance. The two carbon midrange-woofers are run in series for an increased and dynamic power handling.

The MB5 cabinet is heavy braced, curved and with solid carbon reinforcements.

The speaker is crossed over at 2600 Hz and the two added side woofers assist up to 250 Hz. The MB5 B carries the base right down to the deepest notes and does that with an effortless drive that will leave amazed.



AWARDS:



SPECS:

Size, mm. (W×H×D):	178 x 1185 x 319
Weight, kg.:	25 per item
Freq. response:	29 Hz - 40 KHz
Impedance:	> 4 ohm
Sensitivity:	90 db
Crossover:	250 Hz + 2600 Hz / Minimum phase
Enclosure:	Curved, heavily braced, ventilated box design with adjustable aluminum feet
Drive units:	1 x Ribbon tweeter 1 x 5.25" Midrange 3 x 5.25" Woofer
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W

MB6 B | Slim Floor Stander

The MB6 B is the Scansonic flagship speaker. Tall, slim and elegantly curved it follows the core of traditions in Danish loudspeaker design.

The design is centered around the ultra light moving mass sealed ribbon tweeter, that has unique speed, resolution and dynamic transient capability. This makes for a very transparent and highly detailed reproduction of the finest details in the program material.

The MB6 B boasts a powerful lineup of 6 x 5.25" carbon coned dynamic drivers, arranged in a power sharing line array.

The inner pair of the driver covers the midrange up to where the tweeter takes over and as you move out from the center the driver covers more and more of the lower registries.

In the deepest bass the line array boast a total membrane area larger than a 12" driver, but still with the speed and agility of the smaller drivers. This makes the MB6 B have outstanding capabilities even in the deepest bass.

The MB6 B is an incredible music performer with an impact an authority the will leave you breathless.



AWARDS:



stereonet



SPECS:

Size, mm. (W×H×D):	178 x 1410 x 410
Weight, kg.:	35 per item
Freq. response:	27 Hz – 40 KHz
Impedance:	> 4 ohm
Sensitivity:	90 db
Crossover:	250 Hz + 2600 Hz / Minimum phase
Enclosure:	Curved, heavily braced, ventilated box design with adjustable aluminum feet
Drive units:	1 x Ribbon tweeter 2 x 5.25" Midrange 4 x 5.25" Woofer
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W



MB8 B | *Slim Floor Stander*

The MB8B is a massive loudspeaker with not only one, but two 8" woofers. If you want to play at high SPL or just enjoy full range sound reproduction, the MB8B is just what you need. This loudspeaker is particularly well suited for large rooms or home cinema applications. Especially with the ribbon tweeter on top you get all the high-end sparkle in a smooth and beautiful delivery.

The 3-way loudspeaker with a true carbon fiber midrange and woofer makes for a dynamic, organic and authentic sound performance.



SPECS:

Size, mm. (W×H×D):	355 x 1450 x 500 mm, including feet
Weight, kg.:	45 per item
Freq. response:	(-6dB): 34Hz-20 kHz
Impedance:	> 4 ohm
Sensitivity:	88 db
Crossover:	400 Hz-2800 Hz
Enclosure:	Bass reflex-3 ports
Drive units:	1 x Ribbon Tweeter 2x 5.25" Midrange 2 x 8" Woofer
Finish:	Black High Gloss, or Walnut
Amplification:	We recommend high quality amplifiers >100W

MB Center B | *For a Home Theatre Setup*

The MB Center B is a high performance center channel for a MB home theatre setup. The MB-Center B is like the other MB series speakers built around the amazing MB sealed ribbon planer tweeter. This allows for a stress-free, dynamic and detailed treble presentation.

The main focus on the center speaker has been the frequency range where diction of speech is dominant.

Target has been To present the vital area clean and as articulated as absolutely possible.

The MB-Center has the same dynamic driver section as the MB-2.5 which gives the MB-Center a large dynamic scale and limitless headroom.



SPECS:

Size, mm. (W×H×D):	480 x 178 x 286
Weight, kg.:	10.3
Freq. response:	45 Hz - 40KHz
Impedance:	> 4 ohm
Crossover:	3.5 kHz 2. order acoustic slope 250 HZ 1. Order slope
Enclosure:	Curved, heavily braced, ventilated box design with adjustable aluminum feet
Drive units:	1 sealed ribbon tweeter with kapton/ aluminum sandwich membrane! 2 carbon coned 5.25" bass/mid driver with overhung magnet system
Finish:	Black Silk, White Silk, or Walnut
Amplification:	We recommend high quality amplifiers >50W

MB10 | *Subwoofer*

The MB10 Subwoofer is not only great in a home cinema setup, it also blends seamlessly into a good stereo system. Using our knowledge and expertise in designing high-end loudspeakers, we focused on making the MB10 reproduce bass in a more natural and "honest" way, than normally seen in subwoofers. Using a class A/B amplifier instead of the commonly used Class D, plays a key role in the MB10's natural and dynamic performance. This combined with a low mass 10" woofer, and an enclosure tuned to match the woofer, means we don't use any frequency equalization circuits. The result is a subwoofer which sounds articulate and refined without any booming - blending effortlessly in to any high quality music system. While at the same time having the ability to rattle the room when watching a movie.

The MB10 Subwoofer is not only great in a home cinema setup, it also blends seamlessly into a good stereo system.



SPECS:

Size, mm. (W×H×D):	360 x 418 x 360
Weight, kg.:	15.4
Freq. response:	25 Hz - 150 Hz (adjustable)
Amplifier:	100W Rms, Class AB
Inputs:	Line as well as low impedance input
Enclosure:	Rear ported
Drive units:	10" long throw, low mass driver - Down-firing
Finish:	Black Silk or White Silk
Power consumption:	<0.9A - standby, on: 10-300W

The M Series

The new M series from ScansonicHD merges advanced acoustic engineering with signature Scandinavian design, each speaker meticulously crafted to deliver high-fidelity performance at an accessible price. Equipped with a ribbon tweeter and rear-facing passive bass drivers, the M series promises exceptional detail, deep, controlled bass, and minimal distortion. Premium crossover components and advanced cone technology ensure an immersive, cohesive soundstage that reveals the purity of your music. Experience form and function in perfect harmony with the new ScansonicHD M series.




M15.2 | Stand-Mount Monitor

Compact yet powerful, the M15.2 is perfect for smaller living spaces.

Equipped with a high-performance ribbon tweeter, it delivers exquisitely detailed and airy highs. A 6.5" mid-bass woofer ensures dynamic midrange presence and punchy low frequencies. Its rear-mounted 6x9" passive radiator extends bass depth with remarkable clarity and control. Premium crossover components reduce distortion and maintain sonic cohesion across the entire frequency range.

All housed within a sleek Scandinavian design, the M15.2 elevates both sound and style.



SPECS:

Size, mm. (W×H×D):	241 x 322 x 395
Weight, kg.:	8.3 per item
Freq. response:	50 Hz – 20 KHz
Impedance:	8 ohm (min.4 ohm)
Sensitivity:	87 db
Crossover:	3.2 KHz 2. Order
Drive units:	1 neodymium ribbon tweeter kapton 71.5×44.5, 1 woofer 6.5" Honeycomb cone, 1 Passive bass drivers 6"x9" paper cone
Finish:	White Silk or Black Silk
Amplification:	We recommend high quality 50 – 150 W amplifiers





M20.2 | Compact Floor Stander

Standing tall and elegant, the M20.2 fills the room with refined, spacious sound.

Its ribbon tweeter reproduces the finest musical details, adding brilliance to any genre. Dual 5.25" mid-bass woofers handle both crisp midrange and robust lows with seamless integration. Two rear-facing 6"x9" passive radiators further enhance the bass, ensuring tight, resonant depth. Advanced cone materials work in harmony with premium crossover parts for minimal distortion and optimal phase alignment.

Timelessly modern, the M20.2 delivers a powerful statement in both form and function.



SPECS:

Size, mm. (W×H×D):	241 x 372 x 936
Weight, kg.:	18.8 per item
Freq. response:	38 Hz - 30 KHz
Impedance:	8 ohm (min.4 ohm)
Sensitivity:	88 db
Crossover:	3.2 KHz 2. Order
Drive units:	1 neodymium ribbon tweeter kapton 71.5×44.5 2 woofer 5.25" Honeycomb cone, 2 Passive bass drivers 6"x9" paper cone
Finish:	White Silk or Black Silk
Amplification:	We recommend high quality 50 - 180 W amplifiers


M30.2 | Full Range Floor Stander

As the flagship of the series, the M30.2 offers an expansive and authoritative sonic performance.

Its ribbon tweeter provides crystalline highs that reveal every subtle nuance in your music. Twin 6.5" bass drivers deliver a potent low end, coupling depth with unwavering control. Two rear-mounted 6x9" passive radiators extend and refine the bass, preserving clarity across the spectrum.

High-quality crossover components, rarely seen in this price range, ensure smooth transitions and an immersive soundstage.

Sculpted with Scandinavian design sensibilities, the M30.2 embodies both technical mastery and understated elegance.



SPECS:

Size, mm. (W×H×D):	241 x 372 x 1086
Weight, kg.:	25 per item
Freq. response:	33 Hz - 30 KHz
Impedance:	8 ohm (min. 4 ohm)
Sensitivity:	88 db
Crossover:	600Hz / 3.5 KHz 2. Order
Drive units:	1 neodymium ribbon tweeter kapton 71.5×44.5 1 Mid-woofer 4" Honeycomb cone, 2 woofer 6.5" Honeycomb cone 2 Passive bass drivers 6"x9" paper cone
Finish:	White Silk or Black Silk
Amplification:	We recommend high quality 50 - 200 W amplifiers



M Center | Center Speaker

The new M Center is a high-performance speaker designed to match a complete M series setup in a home Cinema system. It uses two Mid/woofer 4,5" honeycomb enforced glass fiber cone and sealed Ribbon-tweeter, in combination with the woofers, allows for an open and detailed sound. Scansonic M Center in matt Black or White (Included wall-brackets)



SPECS:

Size, mm. (BxHxD):	600 x 310 x 420
Weight, kg.:	6,5
Freq. response:	50 Hz - 40 KHz
Impedance:	4 ohm
Crossover:	4 KHz 2.Order, 300 Hz1. Order
Principle:	2.5 Way Bas-reflex loaded
Sensitivity:	86,5 db
Enclosure:	Heavily braced, rear firing ports
Drive units:	1 sealed ribbon tweeter with kapton/aluminum sandwich membrane. 2 Mid/woofer 4.5", Phaseplug + Honeycomb enforced glass fiber cone
Finish:	White Silk or Black Silk
Amplification:	We recommend high quality 50 - 100 W amplifiers

M On-Wall | Multipurpose Speaker

This loudspeaker offers very high quality sound in an on-wall configuration. The crisp and clear ribbon tweeter gives high end performance in a form factor that has many uses. It can be used in a home cinema as rear or as stereo speakers. It will also work really well in a 2.1 configuration with a subwoofer. This loudspeaker is designed as multipurpose speaker.

The design makes it easy to integrate in modern living rooms with its sleek design and black or white finish.

This amazing loudspeaker will satisfy the demanding listener and the one looking for easy integration into any room.



SPECS:

Size, mm. (BxHxD):	210 x 320 x 107
Weight, kg.:	4,35 per item
Freq. response:	50 Hz - 20 KHz
Impedance:	8 ohm(min.4 ohm)
Crossover:	4,5 KHz 2. Order
Principle:	2-Way Bas-reflex loaded
Sensitivity:	88 db
Enclosure:	Wall support, rear firing ports
Drive units:	1 sealed ribbon tweeter with kapton/aluminum 71.5x44.5 1 woofer 4", Honeycomb enforce cone.
Finish:	Black Silk
Amplification:	We recommend high quality 10 - 120 W amplifiers

The L Series

The new L Series is surprisingly budget friendly yet offering sleek Scandinavian design and high performance.

A classic softdome tweeter makes sure that the higher notes are delivered in a sweet and rewarding way. Your music will be presented in a warm and organic way, making sure that all your music sound full of soul and heart.

The woofers membrane are made of weaved fibers in order to achieve the perfect balance between stiffness and damping.

The end result is a listening experience that you do not get everyday in this price class.



L5 | Compact Monitor

The L-5 is a small, elegant bookshelf model with a 25 mm soft dome tweeter and a 4,5" bas/midrange driver.

Despite the size, the L-5 delivers convincing sound, and the size is perfect for placement on furniture or shelves.

The enclosure is made from MDF and the front baffle in matte black is adding additional 15 mm to the front, reducing unwanted vibrations and resonances.

The front grille is magnetic and is made with furniture grade fabric, adding to the Scandinavian look and feel.

The terminals are five way binding posts allowing use with any kind of connections.

Scansonic L serie enclosure is rear ported and deliver an inviting smooth rich sound with deep authentic bass.

Scansonic L5 monitor: 2-way system when the space is limited include 1 tweeter & 5.25" woofer.

SPECS:

Size, mm. (W×H×D):	232 x 232 x 210
Weight, kg.:	3 per item
Freq. response:	50 Hz – 20 kHz
Impedance:	8 ohm
Crossover:	2500Hz
Enclosure:	2-way Bass-reflex, 25mm Silk Dome and 5.25" woofer
Sensitivity:	88 db
Finish:	Black, White or Walnut



L On-Wall | Multipurpose Loudspeaker

The L On-Wall is designed to match the L-series and shares the same core technology with a 25 mm soft dome tweeter in combination with one 4,5" bas/midrange driver. The slim enclosure allows for easy placement in a home cinema setup where space is limited, but without compromising sound quality.

It will also work really well in a 2.1 configuration with a subwoofer. This loudspeaker is designed as multipurpose speaker.

SPECS:

Size, mm. (W×H×D):	210 x 320 x 10
Weight, kg.:	3.35 per item
Freq. response:	55 Hz – 20 KH
Impedance:	8 ohm (min. 4 ohm)
Crossover:	3 KHz 2. Order
Principle:	2-Way Bas-reflex loaded
Sensitivity:	88 db
Enclosure:	Wall support, rear firing ports
Drive units:	1 silk dome neodymium tweeter 1" 1 woofer 4.5", Kevlar enforced cone.
Amplification:	We recommend high quality 10–120 W amplifiers
Finish:	Black, White or Walnut



L6 | Center Speaker

The L-6 is designed to match the L-series and shares the same core technology with a 25 mm soft dome tweeter in combination with two 4,5" bas/midrange drivers.

The slim enclosure allows for easy placement in a home cinema setup where space is limited, but without compromising sound quality.

The MDF-enclosure is enforced with a 15 mm additional front baffle to reduce vibrations and resonances, and this also adds to a fuller sound with clear dialogue and sound effects.

The matching magnetic front grille with furniture grade fabric matches the L-series giving it a discrete and elegant look.

The terminals are five way binding posts allowing use with any kind of connections.



SPECS:

Size, mm. (W×H×D):	340 x 132 x 202
Weight, kg.:	4.2
Freq. response:	60 Hz – 20 kHz
Impedance:	8 ohm
Crossover:	3000 Hz
Enclosure:	2-way sealed, 25mm Silk Dome and 2 x 4.5" woofer/midrange
Sensitivity:	88 db
Finish:	Black, White or Walnut

L10 | Center Speaker

The L-10 is designed to match the L-series L7, L10 and L20. and shares the same core technology with a 25 mm soft dome tweeter in combination with two 5.25" bas/midrange drivers.

The slim enclosure allows for easy placement in a home cinema setup where space is limited, but without compromising sound quality. This center speaker provides powerful sound reproduction for even larger installations.

The MDF-enclosure is enforced with a 15 mm additional front baffle to reduce vibrations and resonances, and this also adds to a fuller sound with clear dialogue and sound effects.

The matching magnetic front grille with furniture grade fabric matches the L-series giving it a discrete and elegant look.



SPECS:

Size, mm. (W×H×D):	480 x 180 x 213
Carton Size mm. (W×H×D):	545 x 260 x 290
Net Weight, kg.:	7.3
Speaker Type/Crossover:	2.0 Passive / 2-Way
Freq. response:	60 - 20 KHz
Nominal Impedance:	4 ohm
Tweeter/Midrange/Woofers:	1x1" Tweeter / 2x 5.25" Woofer
Nominal /Max Power:	80W / 120W
Sensitivity:	86 dB
Finish:	Black or Walnut

L8 | Active Subwoofer

The ideal match for a L-series home cinema or a bang for the buck 2.1 stereo system.

The compact subwoofer is based on a class A/B amplifier with 80 watts RMS. The class A/B amplifier adds to musicality and a warmer signature sound.



Reaching down to 30 Hz, it is the ideal companion to any L-series speaker, and the 8" woofer with long excursion, delivers dynamic and punchy low frequency action.

The elegant MDF enclosure is made with an additional 15 mm front baffle to reduce unwanted vibrations and resonances. It is placed on solid rubber feet, and a magnetic grille covering the woofer is included.

Scansonic L8 Active subwoofer: 80 watt RMS built-in amp., 8" driver w. long-throw voice coil.

L12 | Active Subwoofer

The L12 SUB is the ideal match for a powerful L-series home cinema system. This very capable subwoofer is reaching down to 25 Hz with its 12" subwoofer. The long excursion custom built drive unit provides the foundation for high SPL and maximum dynamics.

The subwoofer is based on a class A/B amplifier with 200 watts RMS. This gives a nuanced, detailed bass reproduction in comparison to many class D subwoofers.

To scale your home cinema system further you can add multiple subwoofers to your setup. Making for even high SPL and powerful bass reproduction.

The elegant MDF enclosure is made with an additional 15 mm front baffle to reduce unwanted vibrations and resonances. It is placed on solid rubber feet, and a magnetic grille covering the woofer is included.



SPECS:

Size, mm. (W×H×D):	303 x 270 x 285
Weight, kg.:	11,5
Freq. response:	30 Hz - 160 Hz (adjustable)
Crossover:	Electronic
Enclosure:	Bass reflex
Drive unit:	8" long throw woofer
Finish:	Black, White or Walnut
Amplifier:	100 W RMS



SPECS:

Size, mm. (W×H×D):	370 x 370 x 430
Weight, kg.:	14.6
Freq. response:	25-250 Hz
Crossover:	40 Hz - 160 Hz (adjustable)
Enclosure:	Bass reflex
Drive unit:	12" long throw woofer
Finish:	Black, White or Walnut
Amplifier:	200 W RMS



L9 | Compact Floor Stander

The L-9 is the smallest of the floorstanders, and the sleek and stylish design matches the L-series.

It is a 3-way design using three 4,5" drivers where one serves as a midrange driver and the other two delivers the low range frequencies.

Together with the 25 mm soft dome tweeter, the L-9 is a good choice for a small to medium sized room, delivering a bottom range that is not expected from such a slim design.

To stabilize the narrow enclosure, feet made from solid aluminum are mounted, to give the L-9 a wider footprint. The stability added from the feet, in combination with the MDF-enclosure with the additional 15 mm front baffle, helps the L-9 deliver a solid performance.

The matching magnetic front grille with furniture grade fabric matches the L-series giving it a discrete and elegant look.

The terminals are five way binding posts allowing use with any kind of connections. Spikes are included as well.

Scanasonic L9 floor-stander: 1 psc 1" tweeter & 3 psc 4,5" woofer ported cabinet. L9 comes with aluminum feet and aluminum spikes.



SPECS:

Size, mm. (W×H×D):	132 x 938 x 310
Weight, kg.:	12.5 per item
Freq. response:	45 Hz - 20 kHz
Impedance:	8 ohm
Crossover:	500/3500Hz
Enclosure:	3-way Bass-reflex, 25mm Silk Dome and 3 x 4.5" woofer/midrange
Sensitivity:	89 db
Finish:	Black, White or Walnut

L12 | Floor Stander

The L-12 is the big brother in the series. It follows the same lines as the rest of the series and carries the same elegant look.

L-12 is a 3-way design using four 4,5" woofers, with one handling the midrange area and the remaining drivers delivering the low range frequencies.

Compared to the L-9, the enclosure is 18 cm taller, and the extra woofer in combination with the larger enclosure, helps the L-12 to deliver a sound more solid than what is usually expected from such a narrow enclosure.

The 25 mm silk dome gives a light and airy high frequency, and the MDF enclosure with the additional 15 mm front baffle, helps reducing unwanted vibrations and resonances.

L-12 is the ideal choice for those wanting a solid front speaker in a home cinema system, or a slim and elegant speaker for the stereo system where high quality sound for the best possible price is the goal.

The matching magnetic front grille with furniture grade fabric matches the L-series giving it a discrete and elegant look.

The terminals are five way binding posts allowing use with any kind of connections. Spikes are included as well.

Scansonic L12 floor-stander: 1 psc 1" tweeter & 3 psc 4,5" woofer ported cabinet. L12 comes with aluminum feet and aluminum spikes.



SPECS:

Size, mm. (W×H×D):	132 x 1088 x 310
Weight, kg.:	14.5 per item
Freq. response:	45 Hz - 20 kHz
Impedance:	8 ohm
Crossover:	1000/2500Hz
Enclosure:	3-way Bass-reflex, 25mm Silk Dome and 4 x 4.5" mm woofer/midrange
Sensitivity:	89 db
Finish:	Black, White or Walnut



L7 | Stand-Mount

At an affordable price this speaker gives you a great musical experience. The bass is deep and low while the highs is crisp and clean.

The L7 uses a special paper cone material to achieve the optimum stiffness and damping for the cone size. The woofer is flanked by a high performance tweeter to give you great performance at this price.

The cabinet has been heavily braced and increased thickness of the walls means that resonances are kept under tight control.



SPECS:

Size, mm. (W×H×D):	210 x 360 x 295
Weight, kg.:	7.8 per item
Freq. response:	45 Hz – 20 KHz
Impedance:	8 ohm(min.4 ohm)
Crossover:	2.2 KHz 2. Order
Principle:	2-Way Bas-reflex loaded
Sensitivity:	89 db
Enclosure:	Heavily braced, rear firing ports
Drive units:	1 silk dome neodymium tweeter 1". 1 woofer 6.5", Paper Sandwich
Finish:	Black, White or Walnut
Amplification:	We recommend high quality 30 – 150 W amplifiers

L14 | Floor Stander

This speaker provides you with an excellent price / performance ratio. Rewarding you with deep and rich bass which adds great weight to your music. This speaker also is a great match for home cinema due to its excellent bass performance.

The L14 uses a special paper cone material to achieve the optimum stiffness and damping for the cone size. The woofer is flanked by a high performance tweeter to give you great performance at this price.

The cabinet has been heavily braced and increase thickness of the walls means that resonances are kept under tight control.



SPECS:

Size, mm. (W×H×D):	210 x 1000 x 295
Weight, kg.:	19.6 per item
Freq. response:	38 Hz – 20 KHz
Impedance:	8 oh m(min.4 ohm)
Crossover:	1KHz / 2.5 KHz 2. Order
Principle:	2.5-Way Bas-reflex loaded
Sensitivity:	90 db
Enclosure:	Heavily braced, rear firing ports
Drive units:	1 silk dome neodymium tweeter 1". 2 woofer 6.5", Paper Sandwich
Finish:	Black, White or Walnut
Amplification:	We recommend high quality 50 – 200 W amplifiers



L20 | Full Range Flor Stander

This loudspeaker can really pack a punch. The 3 x 6,5" bass driver makes this speaker able to drive higher SPL in either Home Cinema or stereo systems at the same time only occupying a small footprint.

The design is classic and elegant, offering beautiful walnut finish and the lines follow Scandinavian tradition.

Being a 3-way loudspeaker, it has a dedicated midrange that just deliver more insight and better imaging to the mix.

The 25 mm silk dome gives a light and airy high frequency, and the MDF enclosure with the additional 15 mm front baffle, helps reducing unwanted vibrations and resonances.

The matching magnetic front grille with furniture grade fabric matches the L-series giving it a discrete and elegant look. The terminals are five way binding posts allowing use with any kind of connections. Spikes are included as well.



SPECS:

Size, mm. (W×H×D):	210 x 1090 x 283
Carton Size, mm. (W×H×D):	290 x 1210 x 360
Net Weight, kg.:	18.75 per item
Freq. response:	35 - 20 KHz
Nominal Impedance:	4 ohm
Speaker Type/Crossover:	2.0 Passive / 3-Way Tweeter/Midrange/Woofer
Tweeter/Midrange/Woofer:	1x1" Tweeter / 1x5.25" Midrange / 3x6.5" Woofer
Sensitivity:	90 dB
Nominal / Max Power:	150W / 220W
Finish:	Black or Walnut
Amplification:	We recommend high quality 50 - 250 W amplifiers

Dantax Radio A/S
Bransagervej 15
9490 Pandrup
Denmark
Tel. +45 98 24 76 77
sales@scansonic.dk

www.scansonic.dk

Version: 2025

